





### Specification

<b>Seating Capacity</b> .....	10 Person	
<b>Dimensions</b> .....	150" X 93" X 52.75" / (381 cm X 236 cm X 134 cm)	
<b>Useable Swim Area Dimensions</b> .....	88" or 223 cm	
<b>Dry Weight</b> .....	1,760 lbs / 799 kg	
<b>Filled Weight (Swim Spa Volume)</b> .....	12,983 lbs / 5,891 kg	
<b>Water Capacity (Swim Spa Volume)</b> .....	1,340 US gallons / 5,092 L	
<b>Electronic Controls</b> .....	IN-K362 Keypad and overlay	
<b>Pump 1</b> .....	North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0	
<b>Pump 2</b> .....	North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0	
<b>Total Seat Jets</b> .....	32	
<b>Seat A Jets</b> .....	(1)-6015050; (2)-6020069; (2)-6020072	
<b>Seat B Jets</b> .....	(1)-6015050; (2)-6020069; (2)-6020070; (2)-6020072	
<b>Seat C Jets</b> .....	(1)-6015050	
<b>Seat D Jets</b> .....	(1)-6015050	
<b>Seat E Jets</b> .....	(2)-6020069; (1)-6020072	
<b>Seat F Jets</b> .....	(1)-6015050; (2)-6020069; (2)-6020070; (2)-6020072	
<b>Seat G Jets</b> .....	(1)-6015050	
<b>Seat H Jets</b> .....	(1)-6015050	
<b>Footwell</b> .....	(4)-6015050;	
<b>Massage Selectors</b> .....	YES	
<b>Air Controls</b> .....	4	
<b>Water Management System</b> .....	Pure Water System	
<b>LED Lighting</b> .....	(2)-20 LED Small Light	
<b>Synthetic Cabinet Colours</b> .....	Driftwood	
<b>Acrylic Colours</b> .....	Silver Marble	
<b>Headrests</b> .....	N/A	
<b>Waterfalls</b> .....	4 (cascading blade style)	
<b>Electrical Requirements</b> .....	North America (60 Hz): 240 V,40 AMPs GFCI RATED: 50 AMPs Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.	
<b>Warranty</b> .....	10/5/3 Year limited	
<b>Options/ Special Features</b> .....	1) Fitness and Fun: <ul style="list-style-type: none"> <li>• Aqua Rowing Kit</li> <li>• HP Cross Training Fitness Kit</li> <li>• 24" Stainless Steel Exercise Bar</li> </ul> 2) Covers: <ul style="list-style-type: none"> <li>• Safety Insulating Cover</li> <li>• Summer Cover with Tie Downs</li> <li>• Bi-Fold Cover Option</li> <li>• Delete Hardcover</li> <li>• Rollaway Cover + (Need to delete Hardcover)</li> <li>• Bracket for Rollaway Cover</li> <li>• Cover Remover (Standard)</li> <li>• Cover Remover Plus (Hydraulic)</li> </ul> 3) Hydrotherapy & Swim: <ul style="list-style-type: none"> <li>• Hydro Flex Air Therapy System- Heated**</li> <li>• White Water System**</li> </ul> (**Both System cannot be ordered on the same Swim Spa due to amperage Demand) 4) Water Management: <ul style="list-style-type: none"> <li>• EZ- Pure Ozone System</li> <li>• Pure Water System</li> </ul> 5) Steps: <ul style="list-style-type: none"> <li>• 5 Tier Aqua Step</li> </ul> 6) Other Popular Upgrades & Options: <ul style="list-style-type: none"> <li>• GFCI Including Subpanel</li> <li>• I Command System</li> <li>• Additional Heater</li> </ul>	





### Massage Selector/Air Control Diagram



ACP- Air controller Pump

### Seat Depth

A = 27.76" (70.51cm)

D = 28.26" (71.78cm)

G = 26.23" (66.62cm)


B = 26.39" (67.03cm)

E = 25.93" (65.86cm)

H = 26.23" (66.62cm)

C = 28.26" (71.78cm)




F = 27.74" (70.45cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



**IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking**



**NOTE:**

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



## HYDROPOOL – 13FFP AQUAPLAY



<b>Year:</b>	2023
<b>Model:</b>	HydroPool 13FFP Aqua Play
<b>Size:</b>	150" X 93" X 52.75" / (381 cm X 236 cm X 134 cm)
<b>Series:</b>	HydroPool Aqua Play Series
<b>Main Keypad:</b>	IN. K362 Keypad <b>(7005087)</b> and overlay <b>(5555363)</b>
<b>Spa Pack and Heater:</b>	Heater: 4 KW 240 V (NA) & 3 KW 230V (EU) <b>Controller GECKO IN.YE-3 NA / EU</b>
<b>Pump #1:</b>	<b>North America (60 Hz):</b> 2- SP, 4 HP, AMPs – 12.0/1.0 <b>(6505155)</b> <b>Europe (50 Hz):</b> 2- SP, 3 HP, AMPs – 10.0/3.0 <b>(6510038)</b>
<b>Pump #2:</b>	<b>North America (60 Hz):</b> 1- Speed, 4 HP, AMPs 12.0/1.0 <b>(6505155)</b> <b>Europe (50 Hz):</b> 1- Speed, 4 HP, AMPs 14 <b>(6510044)</b>
<b>Circulation Pump:</b>	N/A
<b>Therapy Jets:</b>	8 - CLUSTERSTORM JET - DIRECTIONAL <b>(6015050)</b> , 3 - CLUSTERSTORM JET - TWIN ROTO <b>(6015053)</b> , 2 - MINISTORM JET - DIRECTIONAL <b>(6020069)</b> , 2 - MINISTORM JET - MULTI-MASSAGE <b>(6020070)</b> , 3 - MINISTORM JET - GALAXY MESSAGE <b>(6020071)</b> , 9 - MINISTORM JET - PULSE MESSAGE <b>(6020072)</b> , 2 – POLYSTORM JET - RIFLED <b>(6030064)</b> ,  2 – POLYSTORM JET – MASSAGE <b>(6030065)</b> , 4 – POLYSTORM JET – TWIN ROTO <b>(6030066)</b> ,
<b>Air Controls:</b>	(4) - Air Control <b>(4525089)</b>
<b>Diverter:</b>	(1) - 2" Water Diverter <b>(4525091)</b>
<b>Filters:</b>	50 SQ.FT Filter <b>(5530023)</b>

