



Claremont®



Kingston™

SEATING CAPACITY	5-6 seats	6-7 seats
DIMENSIONS	7'8" x 8'4" x 34" 234 cm x 254 cm x 86 cm	7'8" x 8'4" x 34" 234 cm x 254 cm x 86 cm
DRY WEIGHT	1,045 lbs (474 kg)	1,048 lbs (475 kg)
TOTAL FILLED WEIGHT	5,348 lbs (2,426 kg)	5,310 lbs (2,408 kg)
AVERAGE SPA VOLUME	405 gallons (1,533 liters)	401 gallons (1,518 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 3 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 3 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
CIRCULATION PUMP	Yes	Yes
TOTAL HYDROJETS	59	57
WHIRLPOOL JET	2	-
VORTEX™ JET	6	8
FLUIDIX INTELLI-JET™	2	2
FLUIDIX ST™ JET	12	12
ACCU-PRESSURE™ JET	5	13
FOCUS RELIEF® JET	8	-
PULSATOR™ JET	4	4
FLUIDIX REFLEX™ JET	14	14
FLUIDIX NEX™ JET	6	4
SILENT AIR® INJECTOR JET	6	12
LOUNGE SEATING	Yes	-
FILTERS	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)
WATER MANAGEMENT SYSTEM	CLEARARRAY Active Oxygen™ Clean Water System	CLEARARRAY Active Oxygen™ Clean Water System
LIGHTING	Multicolored LED lighting system (1 waterfall, 1 footwell), exterior corner lights, SunCooler bin lights, seat accent lights	Multicolored LED lighting system (1 waterfall, 1 footwell), exterior corner lights, SunCooler bin lights, seat accent lights
PILLOWS	3	4
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A or 60A	240VAC 60Hz 40A/50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A
CABINETRY	Coastal, Mahogany	Coastal, Mahogany
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight
SMARTTUB® SYSTEM	SmartTub® module standard	SmartTub® module standard
UPGRADES	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • Winter wrap insulation 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • Winter wrap insulation

880™

Series 

Sundance® Spas



Maxxus™

Aspen®

Cameo®

Optima®

	Maxxus™	Aspen®	Cameo®	Optima®
SEATING CAPACITY	6 seats	7-8 seats	5-6 seats	6-7 seats
DIMENSIONS	7'7" x 9'2" x 41.5" 231 cm x 280 cm x 106 cm	7'7" x 9'2" x 41.5" 231 cm x 280 cm x 106 cm	7'5" x 7'5" x 37.5" 226 cm x 226 cm x 96 cm	7'5" x 7'5" x 37.5" 226 cm x 226 cm x 96 cm
DRY WEIGHT	1,143 lbs (518 kg)	1,154 lbs (523 kg)	962 lbs (436 kg)	924 lbs (419 kg)
TOTAL FILLED WEIGHT	6,898 lbs (3,129 kg)	6,784 lbs (3,077 kg)	4,882 lbs (2,214 kg)	5,344 lbs (2,424 kg)
AVERAGE SPA VOLUME	540 gallons (2,044 liters)	520 gallons (1,968 liters)	370 gallons (1,401 liters)	410 gallons (1,552 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 3 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	-	-
PUMP 3 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	-	-
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL HYDROJETS	65	66	54	47
WHIRLPOOL JET	2	2	4	1
VORTEX™ JET	7	2	6	7
FLUIDIX INTELLI-JET™	2	6	2	5
FLUIDIX ST™ JET	12	12	12	16
ACCU-PRESSURE™ JET	14	18	6	12
FOCUS RELIEF® JET	8	-	8	-
PULSATORM™ JET	6	4	4	2
FLUIDIX REFLEX™ JET	6	14	6	-
FLUIDIX NEX™ JET	8	8	6	4
SILENT AIR® INJECTOR JET	6	14	6	14
LOUNGE SEATING	Yes	-	Yes	-
FILTERS	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)
WATER MANAGEMENT SYSTEM	CLEARRAY Active Oxygen™ Clean Water System	CLEARRAY Active Oxygen™ Clean Water System	CLEARRAY Active Oxygen™ Clean Water System	CLEARRAY Active Oxygen™ Clean Water System
LIGHTING	Multicolored Sunglow™ LED lighting system (2 waterfall, 2 footwell, 8 air controls, 2 massage selectors, 2 backlit handrails, and exterior lights)	Multicolored Sunglow™ LED lighting system (2 waterfall, 2 footwell, 8 air controls, 2 massage selectors, 2 backlit handrails, and exterior lights)	Multicolored Sunglow™ LED lighting system (1 waterfall, 1 footwell, 5 air controls, 2 massage selectors, 2 backlit handrails, and exterior lights)	Multicolored Sunglow™ LED lighting system (1 waterfall, 1 footwell, 5 air controls, 2 massage selectors, 2 backlit handrails, and exterior lights)
PILLOWS	4	4	3	4
WATERFALLS	2	2	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 50A or 60A	240VAC 60Hz 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x40A, 2x25A, 1x25A/1x32A	230-240VAC 50Hz 1x40A, 2x25A, 1x25A/1x32A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A
SUNSIDE® CABINETRY	Modern Hardwood, Brushed Gray, Vintage Oak			
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight			
SMARTTUB® SYSTEM	Optional SmartTub® module	Optional SmartTub® module	Optional SmartTub® module	Optional SmartTub® module
UPGRADES	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS



Altamar®



Marin®



Capri®

	Altamar®	Marin®	Capri®
SEATING CAPACITY	5-6 seats	4-5 seats	2-3 seats
DIMENSIONS	6'9" x 7'2" x 37.5" 206 cm x 219 cm x 96 cm	6'4" x 7'7" x 34" 193 cm x 231 cm x 86 cm	5'9" x 6'10" x 30.5" 176 cm x 209 cm x 78 cm
DRY WEIGHT	875 lbs (397 kg)	803 lbs (364.23 kg)	635 lbs (288 kg)
TOTAL FILLED WEIGHT	4,878 lbs (2,213 kg)	4,222 lbs (1,915 kg)	3,262 lbs (1,480 kg)
AVERAGE SPA VOLUME	390 gallons (1,476 liters)	320 gallons (1,211 liters)	230 gallons (871 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	-
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	-
CIRCULATION PUMP	Yes	Yes	Yes
TOTAL HYDROJETS	41	45	31
WHIRLPOOL JET	3	-	-
VORTEX™ JET	2	7	1
FLUIDIX INTELLI-JET™	6	2	2
FLUIDIX ST™ JET	12	12	10
ACCU-PRESSURE™ JET	-	2	4
FOCUS RELIEF® JET	6	10	4
PULSATORTM JET	2	2	2
FLUIDIX REFLEX™ JET	6	6	6
FLUIDIX NEX™ JET	4	4	2
SILENT AIR® INJECTOR JET	8	4	8
LOUNGE SEATING	Yes	Yes	-
FILTERS	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)
WATER MANAGEMENT SYSTEM	CLEARRAY Active Oxygen™ Clean Water System	CLEARRAY Active Oxygen™ Clean Water System	CLEARRAY Active Oxygen™ Clean Water System
LIGHTING	Multi-Colored Sunglow™ LED lighting system (1 waterfall, 1 footwell, 5 air controls, 1 massage selectors, 1 backlit handrails, and exterior lights)	Multi-Colored Sunglow™ LED lighting system (1 waterfall, 1 main light, 4 air controls, 1 massage selector, and exterior lights)	Multi-Colored Sunglow™ LED lighting system (1 waterfall, 1 main light, 2 air controls, 1 massage selectors, and optional lights)
PILLOWS	3	4	3
WATERFALLS	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A or 50A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x25A, 2x16A
SUNSIDE® CABINETRY	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight
SMARTTUB® SYSTEM	Optional SmartTub® module	Optional SmartTub® module	Optional SmartTub® module
UPGRADES	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS

780™ Series



Sundance® Spas



Hamilton™



Chelsee®



Bristol™

SEATING CAPACITY	5-6 seats	6-7 seats	5 seats
DIMENSIONS	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7' x 7' x 36" 213 cm x 213 cm x 92 cm
DRY WEIGHT	826 lbs (375 kg)	873 lbs (396 kg)	745 lbs (338 kg)
TOTAL FILLED WEIGHT	4,996 lbs (2,266 kg)	5,210 lbs (2,363 kg)	4,331 lbs (1,965 kg)
AVERAGE SPA VOLUME	393 gallons (1,488 liters)	400 gallons (1,514 liters)	350 gallons (1,325 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
CIRCULATION PUMP	Yes	Yes	Yes
TOTAL HYDROJETS	41	40	38
VORTEX™ JET	4	5	3
MINI VORTEX™ JET	8	4	10
SMT™ MICRO JET™	6	6	4
ADJUSTABLE ACCU-PRESSURE™ JET	6	8	6
ACCU-PRESSURE™ JET	9	9	9
SMT™ FLUIDIX JET	8	8	6
LOUNGE SEATING	Yes	-	Yes
FILTERS	MicroClean® I filtration system with floating weir, 125 ft ² combined filtration	MicroClean® I Filtration System with Floating Weir, 125 ft ² combined filtration	MicroClean® I filtration system with floating weir, 125 ft ² combined filtration
WATER MANAGEMENT SYSTEM	CLEARARRAY Active Oxygen™ Clean Water System	CLEARARRAY Active Oxygen™ Clean Water System	CLEARARRAY Active Oxygen™ Clean Water System
LIGHTING	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 7 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls
PILLOWS	3	4	3
WATERFALLS	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A
SUNSTRONG® CABINETRY	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight
SMARTTUB® SYSTEM	Optional SmartTub® module	Optional SmartTub® module	Optional SmartTub® module
UPGRADES	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS



Montclair™



Dover™

SEATING CAPACITY	4-5 seats	2-3 seats
DIMENSIONS	6'3" x 7'7" x 33.5" 191 cm x 231 cm x 85 cm	5'9" x 6'10" x 30.5" 176 cm x 209 cm x 78 cm
DRY WEIGHT	790 lbs (358 kg)	620 lbs (281 kg)
TOTAL FILLED WEIGHT	4,251 lbs (1,928 kg)	3,247 lbs (1,473 kg)
AVERAGE SPA VOLUME	310 gallons (1,173 liters)	230 gallons (871 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	2-speed/1.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	2-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	-
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	-
CIRCULATION PUMP	Yes	Yes
TOTAL HYDROJETS	30	23
VORTEX™ JET	3	2
MINI VORTEX™ JET	8	2
SMT™ MICRO JET™	2	4
ADJUSTABLE ACCU-PRESSURE™ JET	2	-
ACCU-PRESSURE™ JET	9	9
SMT™ FLUIDIX JET	6	6
LOUNGE SEATING	Yes	-
FILTERS	MicroClean® filtration system with floating weir, 125 ft² combined filtration	MicroClean® filtration system with floating weir, 125 ft² combined filtration
WATER MANAGEMENT SYSTEM	CLEARRAY Active Oxygen™ Clean Water System	CLEARRAY Active Oxygen™ Clean Water System
LIGHTING	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 4 LED pin lights; indicator light; air controls
PILLOWS	3	3
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A, 50A or 60A	120VAC 60Hz 15A or 240VAC 30A or 40A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x16A or 2x16A
SUNSTRONG® CABINETRY	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight
SMARTTUB® SYSTEM	Optional SmartTub® module	Optional SmartTub® module
UPGRADES	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS 	<ul style="list-style-type: none"> • Integrated BLUEWAVE® spa stereo • SunStrong® Extreme cover • FLEXFILL™ PLUS

680™

Series 

Sundance® Spas



Ramona®



McKinley®



Peyton™



Edison®

SEATING CAPACITY	5-6 seats	6-7 seats	5-6 seats	6 seats
DIMENSIONS	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7' x 7' x 36" 214 cm x 214 cm x 92 cm	7' x 7' x 36" 214 cm x 214 cm x 92 cm
DRY WEIGHT	791 lbs (359 kg)	778 lbs (353 kg)	736 lbs (334 kg)	737 lbs (334 kg)
TOTAL FILLED WEIGHT	5,044 lbs (2,288 kg)	5,166 lbs (2,343 kg)	4,364 lbs (1,979 kg)	4,490 lbs (2,037 kg)
AVERAGE SPA VOLUME	380 gallons (1,438 liters)	400 gallons (1,514 liters)	325 gallons (1,230 liters)	345 gallons (1,306 liters)
PUMP 1 NORTH AMERICA	2-speed/2.5 HP continuous	2-speed/2.5 HP continuous	2-speed/2.5 HP continuous	2-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
CIRCULATION PUMP	-	-	-	-
TOTAL JETS	38	42	34	36
SL JET	10	14	6	10
SLR JET	8	8	8	8
SL3 JET	11	7	11	10
SL3R JET	6	8	7	7
SL5 JET	1	3	-	1
SL5R JET	2	2	2	1
LOUNGE SEATING	Yes	-	Yes	-
FILTERS	MicroClean® Mini 80 ft² filtration			
WATER MANAGEMENT SYSTEM	CLEARRAY® UV-C Technology	CLEARRAY® UV-C Technology	CLEARRAY® UV-C Technology	CLEARRAY® UV-C Technology
LIGHTING	CL LED lighting system (interior surround) Front exterior lights	CL LED lighting system (interior surround) Front exterior lights	CL LED lighting system (interior surround) Front exterior lights	CL LED lighting system (interior surround) Front exterior lights
PILLOWS	3	4	3	4
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A,50A or 60A			
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A
CABINETRY	Graphite, Slate	Graphite, Slate	Graphite, Slate	Graphite, Slate
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight			
SMARTTUB® SYSTEM	Optional SmartTub® module	Optional SmartTub® module	Optional SmartTub® module	Optional SmartTub® module
UPGRADES	SunStrong® Extreme cover	SunStrong® Extreme cover	SunStrong® Extreme cover	SunStrong® Extreme cover

680™ Series



Prado®



Alicia™

Sundance® Spas

SEATING CAPACITY	4-5 seats	2-3 seats
DIMENSIONS	6'8" x 6'8" x 33" 203 cm x 203 cm x 84 cm	6'8" x 5'9" x 33" 203 cm x 175 cm x 84 cm
DRY WEIGHT	651 lbs (295 kg)	492 lbs (223 kg)
TOTAL FILLED WEIGHT	3,570 lbs (1,619 kg)	2,780 lbs (1,261 kg)
AVERAGE SPA VOLUME	250 gallons (946 liters)	220 gallons (833 liters)
PUMP 1 NORTH AMERICA	2-speed/2.5 HP brake, 1.5 HP continuous	2-speed/1.5 HP continuous
PUMP 1 INTERNATIONAL CIRCULATION PUMP	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous
TOTAL JETS	26	21
SL JET	2	-
SLR JET	8	8
SL3 JET	10	9
SL3R JET	5	4
SL5 JET	-	-
SL5R JET	1	-
LOUNGE SEATING	-	Yes
FILTERS	MicroClean® Mini 80 ft² filtration	MicroClean® Mini 80 ft² filtration
WATER MANAGEMENT SYSTEM	CLEARRAY® UV-C Technology	CLEARRAY® UV-C Technology
LIGHTING	CL LED lighting system (interior surround) Front exterior lights	CL LED lighting system (interior surround) Front exterior lights
PILLOWS	4	3
ELECTRICAL NORTH AMERICA	120VAC 60Hz 15A or 240VAC 30A or 40A	120VAC 60Hz 15A or 240VAC 30A or 40A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A or 2x16A	230-240VAC 50Hz 1x20A or 2x16A
CABINETRY	Graphite, Slate	Graphite, Slate
ACRYLIC SHELL COLORS	Porcelain, Celestite, Platinum, Monaco, Midnight	Porcelain, Celestite, Platinum, Monaco, Midnight
SMARTTUB® SYSTEM	Optional SmartTub® module	Optional SmartTub® module
UPGRADES	SunStrong® Extreme cover	SunStrong® Extreme cover